L Number	Hits	Search Text	DB	Time stamp
1	,2	"20030005419"	USPAT;	2003/12/08
•	/		US-PGPUB;	15:30
	/		EPO; JPO; DERWENT;	
			IBM TDB	
2	0	"20030005419" and manual\$3	USPAT;	2003/12/08
			US-PGPUB;	14:44
			EPO; JPO; DERWENT;	
]]		IBM TDB	
3	1	"20030005419" and assembly	USPAT;	2003/12/08
			US-PGPUB;	14:52
			EPO; JPO; DERWENT;	
	\		IBM TDB	
4	\1	"20030005419" and low\$1level	USPAT;	2003/12/08
	1		US-PGPUB;	14:53
			EPO; JPO; DERWENT;	
			IBM TDB	
5	725	optimiz\$5 same assembly same (manual\$3 or	USPĀT;	2003/12/08
		hand\$1written or hand)	US-PGPUB;	15:05
			EPO; JPO; DERWENT;	
			IBM TDB	
6	/16	(optimiz\$5 same assembly same (manual\$3	USPAT;	2003/12/08
	/	or hand\$1written or hand)) and 717/.ccls.	US-PGPUB;	17:17
			EPO; JPO; DERWENT;	
	\		IBM TDB	
7	\3	"09002404"	USPAT;	2003/12/08
			US-PGPUB;	14:55
			EPO; JPO; DERWENT;	
			IBM TDB	
8	440	optimiz\$5 same assembly same ((must or	USPĀT;	2003/12/08
		forc\$3 or should) near3 manual\$3 or	US-PGPUB;	15:08
		hand\$1written or hand)	EPO; JPO; DERWENT;	
			IBM TDB	
9	/12	(optimiz\$5 same assembly same ((must or	USPĀT;	2003/12/08
	/ /	forc\$3 or should) near3 manual\$3 or hand\$1written or hand)) and 717/.ccls.	US-PGPUB; EPO; JPO;	15:08
	/	mandy written of mand) and /1//.ccis.	DERWENT;	
			IBM_TDB	
10	1	"20030005419" and low\$1level	USPAT;	2003/12/08
			US-PGPUB; EPO; JPO;	15:32
			DERWENT;	
			IBM_TDB	
11		"20030005419" and (low\$1level or low\$5)	USPAT;	2003/12/08
			US-PGPUB; EPO; JPO;	15:49
			DERWENT;	
	_	#007.65.017#	IBM_TDB	
12	0	"09765917"	USPAT; US-PGPUB;	2003/12/08
			EPO; JPO;	16:51
	\		DERWENT;	
12	\	#FF2A2AA# #CC42C2A# #F2CCF2##	IBM_TDB	0000 (70 /00
13	,\ 96	"5524244" or "6643630" or "5966537" or "6067644" or "6622300" or "5764498" or	USPAT; US-PGPUB;	2003/12/08
/]\	"20020100029" or "6164841" or "5966537"	EPO; JPO;	10.55
4	and \	, , , , , , , , , , , , , , , , , , , ,	DERWENT;	
14		"6247174"	IBM_TDB	2002/22/22
14	4	"6247174"	USPAT; US-PGPUB;	2003/12/08 17:18
			EPO; JPO;	17.10
			DERWENT;	
			IBM TDB	

Search History 12/8/03 5:50:20 PM

<u> </u>		1 11 6 6 12 6 2 2 11	I	1 0000 /10 /00
15	/ 2	"6643630"	USPAT;	2003/12/08
	/		US-PGPUB;	17:19
	1 /		EPO; JPO;	
	1 /		DERWENT; IBM TDB	
16	1 / 6	"6067644"	USPAT;	2003/12/08
1 **	"	0007011	US-PGPUB;	17:19
	1 1		EPO; JPO;	
			DERWENT;	
	1 1		IBM TDB	
17	2	"6622300"	USPAT;	2003/12/08
	1 /		US-PGPUB;	17:20
			EPO; JPO;	
ŀ	1 1		DERWENT;	
			IBM_TDB	
18	9	"6164841"	USPAT;	2003/12/08
ł			US-PGPUB;	17:22
			EPO; JPO;	
	1 1		DERWENT;	
10	12	"5966537"	IBM_TDB	2002/12/08
19	1 1 12) J900331	USPAT; US-PGPUB;	2003/12/08
	1	•	EPO; JPO;	11:22
1			DERWENT;	
			IBM TDB	
-	1 2	"6247174" and (fixed or quali\$8 or siz\$3)	USPAT;	2003/12/08
,	'	deriver and transa or quarryo or sizys,	US-PGPUB;	09:51
/	السا		EPO; JPO;	
1 6	()		DERWENT;	
-7			IBM TDB	
-	1	"20030005419" and (fixed or quali\$8 or	USPAT;	2003/12/08
	İ	siz\$3)	US-PGPUB;	09:53
			EPO; JPO;	
	1,		DERWENT;	
	17		IBM_TDB	
-	[44	optimiz\$5 and processor\$1 and	USPAT;	2003/12/08
	W.	floating\$1point and fixed\$1point and	US-PGPUB;	10:24
	V	quali\$8 and siz\$3 and profil\$3	EPO; JPO;	
	ľ		DERWENT;	
			IBM_TDB	0000/40/00
-	27		USPAT;	2003/12/08
		floating\$1point and fixed\$1point and	US-PGPUB;	10:04
		quali\$8 and siz\$3 and profil\$3) and assembly	EPO; JPO; DERWENT;	
		assemmay	IBM TDB	
_	21	(optimiz\$5 and processor\$1 and	USPAT;	2003/12/08
		floating\$1point and fixed\$1point and	US-PGPUB;	10:04
		quali\$8 and siz\$3 and profil\$3) and	EPO; JPO;	
		(@ad<20000703 or @rlad<20000703 or	DERWENT;	
		@prad<20000703)	IBM TDB	
-	10	((optimiz\$5 and processor\$1 and	USPĀT;	2003/12/08
		floating\$1point and fixed\$1point and	US-PGPUB;	10:04
	N	quali\$8 and siz\$3 and profil\$3) and	EPO; JPO;	
-		(@ad<20000703 or @rlad<20000703 or	DERWENT;	
		@prad<20000703)) and dsp	IBM_TDB	
_	145		USPAT;	2003/12/08
		floating\$1point and fixed\$1point and	US-PGPUB;	10:29
		(@ad<20000703 or @rlad<20000703 or @prad<20000703) and dsp	EPO; JPO;	
		eprad\20000703; and dsp	DERWENT; IBM TDB	
l _	112	optimiz\$5 and processor\$1 and	USPAT;	2003/12/08
	\	floating\$1point and fixed\$1point and	US-PGPUB;	10:42
	\	(@ad<20000703 or @rlad<20000703 or	EPO; JPO;	10.12
	\	@prad<20000703) and dsp and siz\$3 and	DERWENT;	
	\	quali\$5	IBM TDB	
-	\158	optimiz\$5 and processor\$1 and	USPAT;	2003/12/08
	"	floating\$1point and fixed\$1point and	US-PGPUB;	11:04
		(@ad<20000703 or @rlad<20000703 or	EPO; JPO;	
		@prad<20000703) and siz\$3 and quali\$5	DERWENT;	
			IBM TDB	

-	46	(optimiz\$5 and processor\$1 and	USPAT;	2003/12/08
	/	floating\$1point and fixed\$1point and	US-PGPUB;	10:47
		(@ad<20000703 or @rlad<20000703 or	EPO; JPO;	
		@prad<20000703) and siz\$3 and quali\$5)	DERWENT;	
		not (optimiz\$5 and processor\$1 and	IBM_TDB	
		floating\$1point and fixed\$1point and		
		(@ad<20000703 or @rlad<20000703 or		
		@prad<20000703) and dsp and siz\$3 and		
	/ / 0	quali\$5)	ticpam.	2003/12/08
-	! !	<pre>((optimiz\$5 and processor\$1 and floating\$1point and fixed\$1point and</pre>	USPAT; US-PGPUB;	10:47
	1 !	(@ad<20000703 or @rlad<20000703 or		10.47
		(ead<20000703 of effad<20000703 of effad<20000703 of effad<20000703 of effad<20000703 of effad<20000703 of effad<20000703 of effad<20000703 of effad<20000703 of effad<20000703 of effad<20000703 of effad<20000703 of effad<20000703 of effad<20000703 of effad<20000703 of effad<20000703 of effad<20000703 of effad<20000703 of effad<20000703 of effad<20000703 of effad<20000703 of effad<20000703 of effad<20000703 of effad<20000703 of effad<20000703 of effad<20000703 of effad<20000703 of effad<20000703 of effad<20000703 of effad<20000703 of effad<20000703 of effad<20000703 of effad<20000703 of effad<20000703 of effad<20000703 of effad<20000703 of effad<20000703 of effad<20000703 of effad<20000703 of effad<20000703 of effad<20000703 of effad<20000703 of effad<20000703 of effad<20000703 of effad<20000703 of effad<20000703 of effad<20000703 of effad<20000703 of effad<20000703 of effad<20000703 of effad<20000703 of effad<20000703 of effad<20000703 of effad<20000703 of effad<20000703 of effad<20000703 of effad<20000703 of effad<20000703 of effad<20000703 of effad<20000703 of effad<20000703 of effad<20000703 of effad<20000703 of effad<20000703 of effad<20000703 of effad<20000703 of effad<20000703 of effad<20000703 of effad<20000703 of effad<20000703 of effad<20000703 of effad<20000703 of effad<20000703 of effad<20000703 of effad<20000703 of effad<20000703 of effad<20000703 of effad<20000703 of effad<20000703 of effad<20000703 of effad<20000703 of effad<20000703 of effad<20000703 of effad<20000703 of effad<20000703 of effad<20000703 of effad<20000703 of effad<20000703 of effad<20000703 of effad<20000703 of effad<20000703 of effad<20000703 of effad<20000703 of effad<20000703 of effad<20000703 of effad<20000703 of effad<20000703 of effad<20000703 of effad<20000703 of effad<20000703 of effad<20000703 of effad<20000703 of effad<2	EPO; JPO; DERWENT;	
		not (optimiz\$5 and processor\$1 and	IBM TDB	
		floating\$1point and fixed\$1point and	154-106	1
		(@ad<20000703 or @rlad<20000703 or		
		@prad<20000703) and dsp and siz\$3 and		
İ		quali\$5)) and dsp	ļ	
_	46	((optimiz\$5 and processor\$1 and	USPAT;	2003/12/08
	"	floating\$1point and fixed\$1point and	US-PGPUB;	10:47
		(@ad<20000703 or @rlad<20000703 or	EPO; JPO;	
		@prad<20000703) and siz\$3 and quali\$5)	DERWENT;	
		not (optimiz\$5 and processor\$1 and	IBM TDB	
		floating\$1point and fixed\$1point and		
		(@ad<20000703 or @rlad<20000703 or		
	1	@prad<20000703) and dsp and siz\$3 and		
		quali\$5)) and (digital or signal)		
_	7	((optimiz\$5 and processor\$1 and	USPAT;	2003/12/08
	,	floating\$1point and fixed\$1point and	US-PGPUB;	11:03
		(@ad<20000703 or @rlad<20000703 or	EPO; JPO;	
		@prad<20000703) and siz\$3 and quali\$5)	DERWENT;	
	1.	not (optimiz\$5 and processor\$1 and	IBM TDB	
		floating\$1point and fixed\$1point and	_	
	المساري م	(@ad<20000703 or @rlad<20000703 or		
	9 9 11	@prad<20000703) and dsp and siz\$3 and		
	1	quali\$5)) and (digital near1 signal)		
-		((optimiz\$5 and processor\$1 and	USPAT;	2003/12/08
		floating\$1point and fixed\$1point and	US-PGPUB;	11:04
	r	(@ad<20000703 or @rlad<20000703 or	EPO; JPO;	
	,	@prad<20000703) and siz\$3 and quali\$5)	DERWENT;	į
		not (optimiz\$5 and processor\$1 and	IBM_TDB	
		floating\$1point and fixed\$1point and		
1		(@ad<20000703 or @rlad<20000703 or		
Ì		@prad<20000703) and dsp and siz\$3 and		
1		quali\$5)) and (digital near1 signal) and		
1.		precision	HCDAM.	2003/12/08
-	0	optimiz\$5 and processor\$1 and	USPAT;	1 ' '
		floating\$1point and fixed\$1point and (@ad<20000703 or @rlad<20000703 or	US-PGPUB; EPO; JPO;	11:05
	\	(gad<20000703 of grad<20000703 of Grad<20000703 of Grad<20000703 of Grad<20000703 of Grad<20000703 of Grad<20000703 of Grad<20000703 of Grad<20000703 of Grad<20000703 of Grad<20000703 of Grad<20000703 of Grad<20000703 of Grad<20000703 of Grad<20000703 of Grad<20000703 of Grad<20000703 of Grad<20000703 of Grad<20000703 of Grad<20000703 of Grad<20000703 of Grad<20000703 of Grad<20000703 of Grad<20000703 of Grad<20000703 of Grad<20000703 of Grad<20000703 of Grad<20000703 of Grad<20000703 of Grad<20000703 of Grad<20000703 of Grad<20000703 of Grad<20000703 of Grad<20000703 of Grad<20000703 of Grad<20000703 of Grad<20000703 of Grad<20000703 of Grad<20000703 of Grad<20000703 of Grad<20000703 of Grad<20000703 of Grad<20000703 of Grad<20000703 of Grad<20000703 of Grad<20000703 of Grad<20000703 of Grad<20000703 of Grad<20000703 of Grad<20000703 of Grad<20000703 of Grad<20000703 of Grad<20000703 of Grad<20000703 of Grad<20000703 of Grad<20000703 of Grad<20000703 of Grad<20000703 of Grad<20000703 of Grad<20000703 of Grad<20000703 of Grad<20000703 of Grad<20000703 of Grad<20000703 of Grad<20000703 of Grad<20000703 of Grad<20000703 of Grad<20000703 of Grad<20000703 of Grad<20000703 of Grad<20000703 of Grad<20000703 of Grad<20000703 of Grad<20000703 of Grad<20000703 of Grad<20000703 of Grad<2000703 of Grad<200	DERWENT;	
1	1	near2 qualifi\$5)	IBM TDB	
1_	\	optimiz\$5 and processor\$1 and	USPAT;	2003/12/08
	\	floating\$1point and fixed\$1point and	US-PGPUB;	11:07
	\I	(@ad<20000703 or @rlad<20000703 or	EPO; JPO;	
1	Y	@prad<20000703) and siz\$3 and (process\$3	DERWENT;	
1	\	same qualifi\$5)	IBM TDB	
-	\ 0	optimiz\$5 and processor\$1 and	USPAT;	2003/12/08
	\	floating\$1point and (fixed\$1point same	US-PGPUB;	11:08
	\	(siz\$3 and qualifi\$5)) and	EPO; JPO;	
	\	(@ad<20000703 or @rlad<20000703 or	DERWENT;	
	\	@prad<20000703) and (dsp or (digital	IBM_TDB	
	\	near1 signal))		
-	\ 56	optimiz\$5 and processor\$1 and	USPAT;	2003/12/08
	\	floating\$1point and (fixed\$1point and	US-PGPUB;	12:27
	'	(siz\$3 and qualifi\$5)) and	EPO; JPO;	
1		(@ad<20000703 or @rlad<20000703 or	DERWENT;	
1		@prad<20000703) and (dsp or (digital	IBM_TDB	
1	1	near1 signal))]	1

	0	(optimiz\$5 and processor\$1 and	USPAT;	2003/12/08
_	1	floating\$1point and (fixed\$1point and	US-PGPUB;	11:16
		(siz\$3 and qualifi\$5)) and	EPO; JPO;	11.10
		(@ad<20000703 or @rlad<20000703 or	DERWENT;	
		(ead<20000703 of effad<20000703 of		
			IBM_TDB	
	'	nearl signal))) and ("4872169" or		
		"5838583" or "6286128" or "6292929" or		
		"6311302")		
_	9		USPAT;	2003/12/08
	1 1	"5838583" or "6286128" or "6292929" or	US-PGPUB;	11:16
		"6311302")	EPO; JPO;	
	1 1		DERWENT;	
		<u> </u>	IBM_TDB	
-	0		USPAT;	2003/12/08
		"5838583" or "6286128" or "6292929" or	US-PGPUB;	11:17
	į į	"6311302")) and siz\$3) and (process\$3	EPO; JPO;	
	1 1	near2 qualif\$5)	DERWENT;	
		•	IBM TDB	
_	\ 4	(((floating and fixed) and ("4872169" or	USPAT;	2003/12/08
		"5838583" or "6286128" or "6292929" or	US-PGPUB;	11:17
	1 \	"6311302")) and siz\$3) and (process\$3	EPO; JPO;	
	\	same qualif\$5)	DERWENT;	
	\	bane qualityo,	IBM TDB	
_	<u> </u> _9	((floating and fixed) and ("4872169" or	USPAT;	2003/12/08
	1	"5838583" or "6286128" or "6292929" or	US-PGPUB;	11:26
		"6311302")) and siz\$3	EPO; JPO;	11.20
		0511502	DERWENT;	
			IBM TDB	
	406	ontimizes and proceeders!	USPAT;	2003/12/08
_	1 400	optimiz\$5 and processor\$1 and floating\$1point and (@ad<20000703 or	US-PGPUB;	12:28
		Priod Prio	EPO; JPO;	12:28
			,	
	1	(dsp or (digital nearl signal))	DERWENT;	
	_		IBM_TDB	2002/12/22
-	1	optimiz\$5 and processor\$1 and	USPAT;	2003/12/08
		(floating\$1point near2 benefit\$1) and	US-PGPUB;	12:29
	I /	(@ad<20000703 or @rlad<20000703 or	EPO; JPO;	
	1 /	@prad<20000703) and (dsp or (digital	DERWENT;	
	1 /	nearl signal))	IBM_TDB	
-	60	optimiz\$5 and processor\$1 and	USPAT;	2003/12/08
	1 1	(floating\$1point same C) and	US-PGPUB;	13:03
		(@ad<20000703 or @rlad<20000703 or	EPO; JPO;	
	1 10	@prad<20000703) and (dsp or (digital	DERWENT;	
	Mag	nearl signal))	IBM_TDB	
_	27	optimiz\$5 and processor\$1 and	USPAT;	2003/12/08
) '1	(floating\$1point same C) and	US-PGPUB;	14:43
		(@ad<20000703 or @rlad<20000703 or	EPO; JPO;	
		@prad<20000703) and (dsp or (digital	DERWENT;	
	1	nearl signal)) and overflow	IBM TDB	1